

APPLICATION FOR ZONING APPEAL

Must be completed and submitted at least 15 days prior to the date of the hearing.

Name: Cindy Vellucci c/o Archer Corporation				
Address: 1917 Henry Ave SW				
Canton OH 44706				
Phone No. (A.M.) 330-455-9995	(P.M.) 234-282-1062			
Address of Property where Variance is re	equested:			
3040 Manchester Rd, New Franklin OF	1 44319			
Name, address and telephone number of				
Karl Warther, SPGR Enterprises	330-401-7949			
715 Portage Trail, Cuyahoga Falls OH 44	1221			
Zoning District: B-3				
Variance Requested:				
Menu Sign - 47.8 sf; Preview Board - 14	.43 sf; Speaker - 1.67 sf			
Proposed construction will be:				
June/July of 2025				
Your Reasoning for Requesting a Varian				
(applicant may attach a stateme	,			
DO is a national brand with locations thr	ne larger preview and menu boards allow			
•				
for easier readability and ease of ordering. Additionally, the size of the menu board is standard for all locations and there is not another size option.				
Granting this variance would not advers	ely affect the surrounding properties.			

Adjacent Owners: Names	Mailing Address and Zip Code:			
Mastic LLC (KFC) - 10909555	3070 Manchester Rd, New Franklin OH 44319			
Parfait Properties - 1910601	3014 Manchester Rd, New Franklin OH 44319			
Holly Ann Grubauch - 1902219	3066 S Prior Rd, Akron OH 44319			
Amanda L Riggs - 1905250	3080 S Prior Rd, Akron OH 44319			
Everflow Eastern Partners LP - 1910265	PO Box 629, Canfield OH 44406			
JTA2 Real Estate LLC - 1909576	5290 Manchester Rd, Akron OH 44319			
JTA2 Real Estate LLC - 1909581	5290 Manchester Rd, Akron OH 44319			
Autozone Inc #1764 - 1909574	Dept 8088, PO Box 2198 Memphis TN 38101			

Signature of Applicant:* Cynthia L. V Clucci	Date: 5/20/25
1	

*By signing this application, the applicant acknowledges they have read the attached "Procedure for Zoning Variance," "Guidelines for Decisions on Variances," "Conduction of Zoning Appeals Meeting," and "Coventry Township Board of Zoning Appeals" before the hearing.

Please attach the required site plan and any additional drawings to this application.

FOR OFFICE USE ONLY

TYPE	FEE AMOUNT	DATE	PAYMENT TYPE	RECEIPT NUMBER
VARIANCE APPLICATION FEE	\$250.00			
CONDITIONAL USE APPLICATION FEE	\$300.00			

The signs under consideration for the variance are depicted in sections 11,12, and 14 on the next page.

LED Drive-Thru Menu Board with Adder 106³/16" 20¹/8" 6⁷/8" NOTES: 1) Housing Constructed of Aluminum **Extrusion Welded** 2) Door Frames Will Be Extruded Aluminum 3) Door Plex Will Be 1/8" Non Glare Acrylic 4) Entire Board Powder Coat Silver 3/8" x 3 1/4" x 36" Steel Plate (2) 54¹/2" 54¹/2" NOTES: 873/4" MATERIALS: All Joints To Be Welded All Around 3/8"-16 x 1 1/2" Grade A36 Steel Shapes Stainless Steel Optional Curbside Bolts (12) Grade A500 B Steel Tube MICROPHONE AND SPEAKER FOR CURBSIDE OPTION ONLY 2" x 2" x 1/4" Steel Tube -5¹³/₁₆" 5/8" x 5" x 36" 5/8"-11 x 2" Hex Head THIS SIGN IS UL/CSA LISTED 473/8" Bolts Grade 5 (8) HR Steel Plate - 14 1/8" DIA. x 3/4" MOUNTING PLATE STANDARD WIND LOAD: 110 mph 27 13/16" 14 1/8" DIA. x 1" FOR OPTIONAL 16⁷/16" 5" x 5" x 1/4" Steel Tube 180 MPH ELECTRIC SERVICE -21" TO CURB by others *NOTE: These are approximate foundation measurements. The soil bearing capacity at the erection site must be *60" considered when designing the foundation. The sign ANCHOR BOLTS (4) *78" manufacturer is not able to predetermine the specific 5/8" x 30" w/6" turn FOR OPTIONAL needs of each location. Consult a local engineer for 180 MPI 1" x 36" w/4" turn FOR OPTIONAL design specifications. 180 MPH *NOTE: This is a suggested plan. Local requirements may exceed this design. The contractor is responsible to verify this plan. *24" *24" **Drive Thru** Adder

VOLTS: 3.0Amps. @ 120 VAC 60Hz

VOLTS: .50Amps. @ 120 VAC 60Hz

Drawing Type Art Creative

Customer Dairy Queen

Project Description 4 Door LED DT Spec

Drawn By: DL Proj. Man.: Date: 06/22/18 Proj. No.: Note:



LED Pre Sell Menu Board

NOTES:

- 1) Housing Constructed of Aluminum Extrusion Welded
- 2) Door Frames Will Be Extruded Aluminum
- Door Plex Will Be 1/8" Non Glare Acrylic
- 4) Entire Board Powder Coat Silver

NOTES:

MATERIALS:

All Joints To Be Welded All Around Grade A36 Steel Shapes


Grade A500 B Steel Tube

MICROPHONE AND SPEAKER FOR CURBSIDE OPTION ONLY

THIS SIGN IS UL/CSA LISTED

*NOTE: These are approximate foundation measurements. The soil bearing capacity at the erection site must be considered when designing the foundation. The sign manufacturer is not able to predetermine the specific needs of each location. Consult a local engineer for design specifications.

*NOTE: This is a suggested plan. Local requirements may exceed this design. The contractor is responsible to verify this plan.



LED Pre Sell

VOLTS: 1.0 Amps. @ 120 VAC 60Hz

Drawing Type Art Creative

Customer Dairy Queen


b i b

Project Description LED Pre Sell Spec

Drawn By: DL Proj. Man.:

Date: 06/22/18 Proj. No.: Note:





Drawing Type Art Creative Customer Dairy Queen Project Description Speaker Post Spec

Drawn By: DL Proj. Man.: Date: 06/22/18 Proj. No.:

Note: ★ These are approximate foundation measurements.

The soil bearing capacity at the erection site must be considered when designing the foundation. The sign manufacturer is not able to predetermine the specific needs of each location. Consult a local engineer for design specifications.

